

PATENT
IBM Docket No. GB9-2000-0033US2

Listing of Claims (including status and amendments):

- 1 1. (Currently amended) A method of managing retrieval of messages from a shared queue, where
2 the putting of messages on the queue is subject to rollback until a subsequent commit occurs,
3 with each message on the queue having been sent by a sender application program, the method
4 comprising:
5 assigning an index key to a message in response to such commit of the operation of putting the
6 message on the queue, wherein the assigned index key comprises an attribute value of the
7 message which was specified by the sending application when the message was sent; and
8 in response to a receiver application program requesting retrieval of messages from the queue
9 and specifying the attribute value, monitoring the availability of messages in the queue with
10 reference to said assigned index key, whereby the index key being so assigned to the message in
11 response to said commit provides an index which is usable for identifying committed messages
12 having the particular application-specified attribute value.
- 1 2.(Original) A method according to claim 1, including:
2 in response to the monitoring step identifying the availability of a committed message in
3 the queue which has the assigned index key, determining whether the message matches other
4 criteria of the retrieval request; and
5 in response to a positive match, sending a response to the application program which
6 issued the request.
- 1 3.(Original) A method according to claim 2, wherein the response includes the message which
2 matches the request.
- 1 4.(Original) A method according to claim 1, wherein the attribute value included in the
2 assigned index key is a message identifier or a correlation identifier.
- 1 5.(Original) A method according to claim 1, wherein receiver application programs are able to
2 issue retrieval requests with a wait attribute, and wherein the method includes:

PATENT**IBM Docket No. GB9-2000-0033US2**

3 responsive to no messages which match the request being available in the queue when the
4 request is issued, triggering a monitoring process to perform the monitoring step; and

5 responsive to the monitoring step identifying the availability of a committed message in
6 the queue having said assigned index key, determining whether the message matches a waiting
7 retrieval request and, if matching, sending a response to the application program which issued the
8 request.

1 6. (Original) A method according to claim 1, wherein the queue is a shared access queue held
2 in a list structure of a Coupling Facility to which a plurality of resource managers can connect to
3 put messages on the queue and to retrieve messages from the queue on behalf of respective
4 sender and receiver application programs.

1 7. (Original) A method according to claim 6, wherein the step of assigning an index key at
2 commit time comprises a resource manager which put the message on the shared queue
3 providing the attribute value to the Coupling Facility in response to committing the put
4 operation, the Coupling Facility then building the index key and storing it in association with the
5 enqueued message.

1 8. (Original) A method according to claim 6, wherein the assigned index value for each
2 message is held in a predefined control data area of the Coupling Facility list structure which
3 holds the queue.

PATENT**IBM Docket No. GB9-2000-0033US2**

1 9.(Original) A method according to claim 8, wherein the predefined control data area of the
2 Coupling Facility list structure is a Coupling Facility list entry control data area, and the
3 predefined control data area holds a message identifier and a correlation identifier for the
4 message, the assigned index key comprising one of said message identifier or correlation
5 identifier.

1 10.(Original) A method according to claim 6, wherein the monitoring step is performed by a
2 monitoring process within the Coupling Facility in response to receipt of a retrieval request
3 which specifies said attribute value, the monitoring process including:
4 means for determining whether an identified available message matches all criteria of the
5 received retrieval request; and
6 means, responsive to a positive match, for sending a response to the application program
7 which issued the request.

1 11.(Original) A method according to claim 10, wherein the monitoring process is adapted to
2 invoke said means for determining a match for all identified messages in said queue which have
3 said assigned index value corresponding to the application-specified attribute value.

1 12.(Original) A method according to claim 1, wherein the assigned key comprises a secondary
2 index key representing a sender-application-assigned attribute and can be used to identify
3 messages in response to a retrieval request which specifies said attribute, and an additional
4 primary index key comprising sequencing information is assigned to a message when the
5 message is placed on the queue; and wherein the primary index key is used to select a message
6 for retrieval from the available messages identified in the monitoring step which used the
7 secondary key.

PATENT
IBM Docket No. GB9-2000-0033US2

1 13.(Currently amended) A program product comprising program code including executable
2 program instructions recorded on a machine-readable recording medium, for controlling the
3 performance of operations of a data processing apparatus on which it executes relating to storage
4 and retrieval of messages on a shared queue with the putting of messages on the queue being
5 subject to rollback until a subsequent commit action is taken, the program code including:

6 program code for assigning an index key to a message in response to such commit of the
7 operation of putting the message on the queue, wherein the assigned index key comprises an
8 attribute value of the message which was specified by the sending application when the message
9 was sent; and

10 program code, responsive to a receiver application program requesting retrieval of
11 messages from the queue and specifying the attribute value, for monitoring the availability of
12 messages in the queue with reference to said assigned index key, whereby the index key assigned
13 to the message in response to said commit provides an index which is usable for identifying
14 committed messages having the particular application-specified attribute value.

1 14.(Original) A program product according to claim 13, wherein the program code includes:

2 means, responsive to the monitoring step identifying the availability of a committed
3 message in the queue which has the assigned index key, for determining whether the message
4 matches other criteria of the retrieval request; and

5 means, responsive to a positive match, for sending a response to the application program
6 which issued the request.

PATENT
IBM Docket No. GB9-2000-0033US2

1 15. (Original) A resource manager component for a data processing apparatus, for storing
2 messages within a queue and storing index keys in association with the enqueued messages for
3 use in retrieval of the messages from the queue, the resource manager component including:

4 means for assigning an index key to a message in response to commit of the operation of
5 putting the message on the queue, wherein the assigned index key comprises an attribute value of
6 the message which was specified by the sending application when the message was sent; and

7 means, responsive to a receiver application program requesting retrieval of messages
8 from the queue and specifying the attribute value, for monitoring the availability of messages in
9 the queue with reference to said assigned index key, whereby the index key assigned to the
10 message in response to said commit provides an index which is usable for identifying committed
11 messages having the particular application-specified attribute value.

1 16. (Original) A data processing apparatus including:

2 storage means;

3 a data processor;

4 a resource manager component for storing messages within a queue and storing index
5 keys in association with the enqueued messages for use in retrieval of the messages from the
6 queue, the resource manager component including:

7 means for assigning an index key to a message in response to commit of the operation of
8 putting the message on the queue, wherein the assigned index key comprises an attribute value of
9 the message which was specified by the sending application when the message was sent; and

10 means, responsive to a receiver application program requesting retrieval of messages
11 from the queue and specifying the attribute value, for monitoring the availability of messages in
12 the queue with reference to said assigned index key, whereby the index key assigned to the
13 message in response to said commit provides an index which is usable for identifying committed
14 messages having the particular application-specified attribute value.

1 17. (Original) A data processing apparatus according to claim 16, wherein the resource manager
2 component includes means, responsive to the monitoring step identifying the availability of a
3 committed message in the queue which has the assigned index key, for determining whether the
4 message matches other criteria of the retrieval request, and the apparatus further includes means,
5 responsive to a positive match, for sending a response to the application program which issued
6 the request.